



GHQ- 320AUTO 320PR3

- Carrier-free operation
- High speed hot & cold lamination
- Mounting up to 3mm



Hot & cold pouch laminator

- Carrier-free operation
- High speed hot & cold lamination
- Mounting up to 3mm
- Hot roller type
- Hot and cold laminating
- Variable temperature control
- Variable speed control
- Roller Protection system
- Reverse button

POUCH
LAMINATORS



Pouch Laminators

Heavy-duty and high performance A3 machines.

Advanced hot roller technology offers a variety of applications including color foil printing, color or black / white image transfer, mounting onto lamiboard, glossing and matting, one side photo lamination and cold film processing.

8-bit microprocessor has pre-set functions, speed and temperature control, reverse switch and LCD display monitors showing pre-set conditions.

Multi-purpose laminator offers 9 more functions

- Heat seal Lamination (Tamper-proof, long term preservation)
- Lamination for a wide variety of patterns (Heat sensitive lamination)
- Cold lamination (Pressure sensitive lamination)
- Cold printing(Terrific cold print on black / white photocopies)
- Glossing
- Lamination for Soft Table Matts (Rigid, soft, many different patterns)
- One side lamination
- Transferring
- Mounting



▲ GHQ-320R3

6 Roller pouch laminator

Specification

Model Name	GHQ-320AUTO	GHQ-320PR3
Laminating Speed	1500mm/min	2500mm/min
Laminating Width	320mm	320mm
Laminating Films	75mic~250mic	75mic~250mic
Substrate Thickness	80g/m ² ~250g/m ²	80g/m ² ~250g/m ²
Thickness of Mount	3mm	3mm
Front Roller Diameter	30mm	30mm
Rear Roller Diameter	30mm	30mm
Power Requirements	220~240V, 50/60Hz	220~240V, 50/60Hz
Power Consumption	1100W, 5.0A	1950W, 8.45A
Warm Up Time	3 minutes	3 minutes
Heating System	Hot roller internal infrared heater	Hot roller internal infrared heater
Operating Temperature	160°C Max.	160°C Max.
Speed Control	Volume	Volume
Temperature Control	Volume	Volume
Cooling System	Shading pole motor	Shading pole motor
Dimensions (WxLxH)	510x317x165mm	510x317x165mm
Type of Main Motor	DC W-Geard Motor /36V70	DC W-Geard Motor /36V70

※ GMP reserves the right to change specifications without prior notice.